



Representative Image

**Catalog No. 9T10A1344****Description: "3A,75kVA,208-480Y,150C,N2,K1,DOE"****UPC No 783173903438****Home > Transformers > Dry Type Vented > General Purpose**

ABB's Low Voltage Dry Type transformers are built to last and are designed with exclusive features. With easy installation and all of the specifications you trust, it's easy to see why ABB QL dry type transformers are preferred by contractors. Our Type QL transformers meet DOE efficiency standards. They are available with aluminum or copper windings and in all three temperature rise ratings.

**Descriptors**

Category

General Purpose

**Specifications**

TransType	DOE 2016
Phase	3
PriVoltage	208
SecVoltage	480Y/277
KVA	75.0 KVA
Coil Material	AL
TempRise	150.0 °C
Frequency	60 Hz
Impedance	5.3 %
AmbTemp	40.0 °C
EnergyEfficiency	DOE 2016
KFactor	K1
Enclosure Type	NEMA 2
Sound	Std

**Classifications**

CE	0
----	---

## Publications

Title	Publication No.	Publication Type
<a href="#">QL Dry Type Transformers</a> Rev. G	DEA-492	Brochures
<a href="#">UL Nameplate Drawing</a> UL Nameplate Drawing 9T10A1344-LBL	9T10A1344-LBL	Connection Diagram

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.