


E300 Electronic Overload Relay

Bulletin Numbers 193, 592



LISTEN.
THINK.
SOLVE.

What's Inside

Topic	Page
Bulletin 193/592-E300 Overview	3
Bulletin 193/592-E300 Product Selection	11
Sensing Modules	11
Control Modules	12
Accessories	13
Bulletin 193/592-E300 Specifications	15
Bulletin 193/592-E300 Approximate Dimensions	23

Bulletin 193/592-E300 Overview

The E300 Electronic Overload Relay is the newest technology for overload protection. Its modular design, communication options, diagnostic information, simplified wiring, and integration into Logix technology make this the ideal overload for motor control applications in an automation system.

E300 Electronic Overload Relays provide the following benefits:

- Intelligent motor control (EtherNet/IP enabled)
- Scalable solution
- Diagnostic Information
- Integrated I/O
- Adjustable trip class 5...30
- Wide current range
- Test/Reset button
- Programmable trip and warning settings
- True RMS current/voltage sensing (50/60 Hz)
- Protection for single- and three-phase motors

NOTE: Your order must include 1) the Cat. No. of the sensing module, control module, and communication module selected, and 2) if required, Cat. No. of any accessories.

Standards Compliance and Certifications

Standards Compliance	Certifications
UL508	UL Listed
UL1053 (Class I and Class II)	CE Marked
UL 60947-1	CSA Certified
UL 60947-4-1	CCC
EN 60947-1	KCC
EN 60947-4-1	
CSA22.2, No. 14	
CSA22.2, No. 60947-1	
CSA22.2, No. 60947-4-1	
GB 14048.4	

Product Overview

The E300 relay consists of three modules: sensing, control and communications. You have choices in each of the three with additional accessories to tailor the electronic overload for your application's exact needs.

Sensing Module

Sensing Options

- Voltage/current/ground fault
- Current/ground fault
- Current

Current Range [A]

- 0.5...30
- 6...60
- 10...100
- 20...200

Control Module

Control Voltage	I/O		I/O and Protection ⁽¹⁾	
	Inputs	Relay Outputs	Inputs	Relay Outputs
110...120V AC, 50/60 Hz	4	3	2	2
220...240V AC, 50/60 Hz	4	3	2	2
24V DC	6	3	4	2

(1) Includes PTC thermistor and external ground fault.

Communication Module

- EtherNet/IP

Expansion Digital I/O

You can add up to four additional expansion digital modules to the E300 relay expansion bus.

- 4 inputs/2 relay outputs
- 24V DC
- 120V AC
- 240V AC

Expansion Analog I/O

You can add up to four additional expansion analog modules to the E300 relay expansion bus.

- 3 universal analog inputs/1 analog output
- 0...10V
- 0...5V
- 1...5V
- 0...20 mA
- 4...20 mA
- RTD (2-wire or 3-wire)
- 0...150 Ω
- 0...750 Ω
- 0...3000 Ω
- 0...6000 Ω (PTC/NTC)

Bulletin 193/592-E300 Product Selection

Sensing Modules

Description	Mounting Options	Current Range [A]	For Use With	Cat. No.
Current	IEC Contactors	0.5...30	100-C09...C23	193-ESM-I-30A-C23
			100-C30...C55	193-ESM-I-30A-C55
		6...60	100-C30...C55	193-ESM-I-60A-C55
		10...100	100-C60...100-C97	193-ESM-I-100A-C97
		20...200	100-D115...100-D180	193-ESM-I-200A-D180
	DIN Rail / Panel Mount Power Terminals	0.5...30	All contactors and external current transformers	193-ESM-I-30A-T
		6...60	All contactors	193-ESM-I-60A-T
		10...100		193-ESM-I-100A-T
		20...200		193-ESM-I-200A-T
	DIN Rail / Panel Mount Power Terminals. Directly replaces 193-ECPM_	0.5...30	All contactors and external current transformers.	193-ESM-I-30A-E3T
		6...60	All contactors	193-ESM-I-60A-E3T
		10...100		193-ESM-I-100A-E3T
	DIN Rail / Panel Mount Pass-thru	0.5...30	All contactors and external current transformers	193-ESM-I-30A-P
		6...60	All contactors	193-ESM-I-60A-P
		10...100		193-ESM-I-100A-P
		20...200		193-ESM-I-200A-P
	NEMA Contactors	0.5...30	NEMA Size 0...2	592-ESM-I-30A-S2
		6...60		592-ESM-I-60A-S2
		10...100	NEMA Size 3	592-ESM-I-100A-S3
		20...200	NEMA Size 4	592-ESM-I-200A-S4
Current/Ground Fault	IEC Contactors	0.5...30	100-C09...C23	193-ESM-IG-30A-C23
			100-C30...C55	193-ESM-IG-30A-C55
		6...60	100-C30...C55	193-ESM-IG-60A-C55
		10...100	100-C60...100-C97	193-ESM-IG-100A-C97
		20...200	100-D115...100-D180	193-ESM-IG-200A-D180
	DIN Rail / Panel Mount Power Terminals	0.5...30	All contactors	193-ESM-IG-30A-T
		6...60		193-ESM-IG-60A-T
		10...100		193-ESM-IG-100A-T
		20...200		193-ESM-IG-200A-T
	DIN Rail / Panel Mount Power Terminals. Directly replaces 193-ECPM_	0.5...30		193-ESM-IG-30A-E3T
		6...60		193-ESM-IG-60A-E3T
		10...100		193-ESM-IG-100A-E3T
	DIN Rail / Panel Mount Pass-thru	0.5...30		193-ESM-IG-30A-P
		6...60		193-ESM-IG-60A-P
		10...100		193-ESM-IG-100A-P
		20...200		193-ESM-IG-200A-P
	NEMA Contactors	0.5...30	NEMA Size 0...2	592-ESM-IG-30A-S2
		6...60		592-ESM-IG-60A-S2
		10...100	NEMA Size 3	592-ESM-IG-100A-S3
		20...200	NEMA Size 4	592-ESM-IG-200A-S4