


Data sheet | Item number: 216-221

Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; white

www.wago.com/216-221



Color:



Data

Technical data

Main product function	Ferrule
Sleeve cross-section (AWG)	20 AWG

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.



Sleeve for	0.5 mm ²
------------	---------------------

Connection data

Strip length	7 mm / 0.28 inch
--------------	------------------

Physical data

Length	12 mm
Length 1	6 mm
Diameter	3.1 mm
Diameter 1	2.6 mm
Diameter 2	1 mm

Material data

Color	white
Fire load	0.001 MJ
Weight	0.1 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	1000 Stück
Packaging type	box
Country of origin	DE
GTIN	4017332277426
Customs tariff number	8536904000

Downloads

Documentation

Bid Text

216-221 X81 - Datei	Feb 19, 2019	xml 2.9 kB	Download
216-221 doc - Datei	Sep 11, 2017	doc 24.1 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.




Environmental Product Compliance

Compliance Search

Environmental Product Compliance 216-221	URL	Download
Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated; white		

Installation Notes



A perfect gas-tight crimp – both electrically
and mechanically reliable

Subject to changes. Please also observe the further product documentation!

WAGO Corporation
Germantown, WI 53022
Phone: 1-800-DIN-RAIL (346-7245) | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.us

Do you have any questions about our products?
We are always happy to take your call at (262) 255-6222 or 1 800-DIN-RAIL.