
Item no.: 773-173
Product description: PUSH-WIRE CONNECTOR FOR JUNCTION BOXES; 3-
CONDUCTOR TERMINAL BLOCKS



Packing unit 500 10*50 pieces

Product group	7 (Push Wire Conn.)
pole count	3
Cross section from [mm²]	2,5 mm²
Cross section to [mm²]	6 mm²
Cross section from [AWG]	14 AWG
Cross section to [AWG]	10 AWG
Wiring method	e
Connection method	PUSH-WIRE CONNECTION
Number of strands	3
Measured voltage EN	400 V
Measured shock voltage	4 kV
Pollution degree	2
Current intensity EN	41 A
Weight	5,73 g
Color	transparent
Wiring type	Side-entry
No. of connection Points	3
No. of potentials	1
Height	14,2 mm
Height	0,559 in
Width	25,6 mm
Width	1,008 in



Depth	0,791 in
Strip length from	12 mm
Strip length to	13 mm
Strip length	0,53 in



Item number	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm²]
773-173	CSA	154112-1059435	600	30	14-10
773-173	ENEC15	DK137981-01	400	41	2,5-4
773-173	ENEC15	DK140612-01	400	41	2,5-6
773-173	UL	E69654	600	30	14-10sol/str

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected